



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




USED IN KIT RBEA62316


 RED BARN MACHINE	
TITLE PRESS TOOL	
DWG NO. RBEVR-L11-0010-004-B	REV
MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED <i>D Weil</i>	
HEAT TREAT	
FINISH	
SPEC	
USED ON MODEL EC135	
SCALE 1:2	DATE 4/11/2012
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PRESS	6061	Ø6-1/2 X 5-5/8	2
			-3	1	RING	NYLON, WHITE	Ø6-1/2 X 1-1/8	3


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



PRESS





SECTION B-B

		<h1>RED BARN MACHINE</h1>	
TITLE		<h2>PRESS TOOL</h2>	
DWG NO.		REV	
MAT'L 6061		DRAWN BY: GILBERT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1		HEAT TREAT FINISH CLEAR ANODIZE	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SPEC MIL-A-8625F, TYPE II, CLASS USED ON MODEL EC135	
SCALE 1:3		DATE 4/11/2012	
		SHEET 2 OF 3	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED





③

RING



SECTION A-A

 RED BARN MACHINE	
TITLE PRESS TOOL	
DWG NO. RBEVR-L11-0010-004-B-3	REV
MAT'L NYLON, WHITE	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm .005$.XX $\pm .01$.X $\pm .1$ FRACTIONS $\pm 1/32$ ANGLES $\pm 5^\circ$	APPROVED  HEAT TREAT FINISH SPEC USED ON MODEL EC135
1. BREAK ALL SHARP EDGES $.015 \times 45^\circ$ OR $.015R$ 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE 1:2 DATE 4/11/2012 SHEET 3 OF 3